


EXPANDING YOUR SURFACES



EXPANDING
UNIVERSES





Material



Color



Load Capacity



Recomended Table Width



Suitable for round and square tables



Indoor | Outdoor



Table Frames



Table Legs



Table Kits




Table Frame (TF)




Table Legs (TL)*





Table Kits (TK)*

* Optional

Expanding® Your Surfaces

Who We Are	8
Met The Possibilities	12
Our Engineering	14
Our Quality Standards	16
Sustainability	18
Our Systems	20
Our Table Kits	78



In our vast Universe nothing is ever still. Stars move. Planets orbit. Galaxies grow. So why should we be static? We won't.

In Muvv we want to keep getting bigger, better, bolder. We are never stuck. We know objects, like the Universe, can increase and grow into additional space. We believe in creating durable and respectful products that help our blue planet last forever. We are creating new systems and mechanisms and we won't fold our arms to the possibility of developing better foldable and extensible add-ons to everyday furniture.

Because we know different universes, like homes or offices, can expand into more. More practical. More space-saving. More beautiful.

At the speed of light, we develop new products that defy gravity and tradition to reach for the stars. In Muvv we keep our minds open. And flexible. Forever changing. Forever improving. Forever expanding. For all eternity.

Muvv, Expanding Universes.

Life Expands[®] Here


Beyond products,
extraordinary
experiences.



Expanding[®] Solutions

Precision-engineered frames and components that revolutionize extendable tables. At MUVV, we believe in transforming spaces, experiences, and lives through innovative, sophisticated solutions. From concept to completion, we deliver 90% of the work, allowing you to focus on what matters most.

Creating
exceptional
spaces
that inspire.




Expanding[®] Universes

As Synere Group's dynamic spin-off, Muvv brings fresh energy to furniture innovation while drawing on nearly 50 years of manufacturing excellence. Though young and irreverent, we deliver precision-engineered frames backed by decades of expertise.

We transform the extendable table market by handling the complexity so you can focus on creating exceptional spaces—your partner in expanding possibilities worldwide.

Proud to be part of Synere Group.

Our timeline



Expanding[®] Possibilities

why
MUVV?

P • 12 - 13 | Expanding Universes



To Expand Quality

Our CATAS-certified systems combine cutting-edge technology with uncompromising quality standards, ensuring every product expands not just into spaces, but also possibilities.

To Expand Flexibility

Our modular solutions adapt seamlessly to any dimension, material, or finish — expanding your creative vision and transforming ordinary spaces into extraordinary experiences.

To Expand Simplicity

Less production time, more expanding possibilities. We deliver everything you need to expand your business effortlessly: comprehensive manuals, CAD machining files and technical training.

To Expand Support

From initial implementation through after-sales service, our team ensures your success with expert guidance, marketing materials, and specialized training because your growth is our mission.

Expanding[®] Techniques our engineering.

Our extensible systems are recognized for their exceptional robustness and unwavering reliability, attributes that define MUVV and our commitment to providing customers with top-quality products.

Our team of specialized engineers understands the importance of simple and smooth products, which prove efficient in any everyday application.

They ensure that all ideas undergo meticulous development based on design, material selection, and validation through Finite Element Analysis (FEA), in order to provide seamless solutions that not only stand the test of time but also excel under the most rigorous conditions and meet the stringent performance standards we pursue.



Expanding[®] Quality our standards.

At Muvv, we develop quality control systems that ensure the best results, making us a benchmark for industry quality standards.

Our products undergo rigorous processes to guarantee the durability and reliability of our materials —temporal compliance is achieved through multiple cyclic usage checks, where our products are validated for their specific load using 5,000 cyclic tests.

This exceptional result reflects extensive research, design development, and continuous statistical process control (SPC).

Expanding[®]
Qualifications



CATAS tested
Submitted to 5.000 cycles.



TUVV ISO 9001:2015
Quality management
system certification.



Expanding[®] Life our sustainability.

At MUVV, we prioritize an environmentally conscious mindset and the responsibility to maintain sustainable practices.

Our ambition is to reduce carbon emissions and ecological footprint through good industrial practices in all our processes—from design to the final product.

We implement methods to continuously improve and are committed to developing strategies that enable a significant reduction in material/ resource consumption and waste. Our goal is to be mindful and take care of our world, and by putting these techniques and technologies into practice, we will achieve it.

575 Tons.
Recycled Materials

37%
Waste Reduction

**Leading to 214 Tons.
of resources saved.**

Expanding[®] Surfaces


our central
systems.

Central System

Flowing	20
Fitting	26
Rocketing	34
Orbiting	40
Extending	46

Flowing

Such harmony in one touch. Flows with you.



P • 22 - 23 | Expanding Universes

Central System



Aluminium



Black



90 kg | Max. Leaf weight 8 kg



1000mm | Other sizes under request



Indoor



TL1 (Optional)



TK6 (Optional)

Expanding[®]
Surfaces



Flowing
Central System

Automatic opening system.
Single-movement opening and
closing.
Premium range, designed for high-
end users.
CATAS Tested.



Flowing Central System

Single movement opening.
Synchronised opening and closing.






Table frame dimensions

TF1 (mm)	A	B	C (up to)	Y	Crossbars	X	W	L (L¹+L²)
IN00-00029370-00	1660	870	700	55	4B	19-25	1000	1800
IN00-00029371-00	1840	870	800	55	4B	19-25	1000	2000
IN00-00029372-00	2040	870	800	55	4B	19-25	1000	2200

A- Frame length B- Frame width C- Max. Leaf Length X- Leaf thickness Y- Frame height


Table top materials

Compatible with Ceramic, Stone and Glass table tops when applied over a screw compatible layer, such as wood-based materials.

TL TL2 & TL3.

Fitting

Universal expansion,
unlimited potential.
Fits you.



P • 28 - 29 | Expanding Universes

Central System



Suitable for round and square tables.



Steel



Textured Black



120 kg | Max. Leaf weight 15kg



Between 900 to 1100mm |
Other sizes under request



Indoor



TL3, TL4, TL5, TL11 (Optional)




TK1 (Optional)



Expanding[®]
Surfaces

Fitting
Central System

Versatile & Adaptable
CATAS Tested
Leaf stays within frame



Fitting^{TF1}
Central System

Opening with shock absorber and spring, ensuring a smooth and light movement.
System with cam for synchronised opening/closing of the foldable leaves.





Table frame dimensions

TF1 (mm)	A	B	C	Y	Crossbars	X	W	L (L¹+L²)
IN00-00029374-00	1500	750	500-900	50	4B	19-25	900-1100	1600 to 1900
IN00-00029376-00	1750	750	500-900	50	4B	19-25	900-1100	1900 to 2200

A- Frame length B- Frame width C- Max. Leaf Length X- Leaf thickness Y- Frame height


Table top materials

Compatible with Ceramic, Stone and Glass table tops when applied over a screw compatible layer, such as wood-based materials.

TL TL3 & TL4.

Fitting^{TF2}
Central System

Opening with shock absorber and spring, ensuring a smooth and light movement.
System with cam for synchronised opening/closing of the foldable leaves.



DETALLE W
DETALLE W




Table frame dimensions

TF2 (mm)	A	B	C	Y	X	D
IN00-00029377-00	1300	1300	400	50	19-25	Ø1200 - Ø1300

A- Frame length B- Frame width C- Max. Leaf Length X- Leaf thickness Y- Frame height

Table top materials


Compatible with Ceramic, Stone and Glass table tops when applied over a screw compatible layer, such as wood-based materials.

TL TL3, TL5 & TL11.

Suitable for round and square tables.

Rocketing

Compact by design,
huge by choice.
Rocks with you.



P • 36 - 37 | Expanding Universes

Central System



Suitable for round and square tables.



Aluminium/ Steel



Natural / Black



120 kg | Max. Leaf weight 15kg



Between Ø1100 to Ø1450mm |
Other sizes under request



Indoor



TL11 (Optional)




TK1 (Optional)



Expanding[®]
Surfaces

Rocketing
Central System

Easy to install
Suitable for round and square tables
Adaptable to all table leg designs.



Rocketing
Central System

Small compact table with
largest extension potencial.
Leaf stays within frame.






Table frame dimensions

TF2 (mm)	A	B	C	Y	X	D
IN00-00029378-00	805	710	400-600	55	19-25	Ø1100 - Ø1250
IN00-00029379-00	1010	710	400-600	55	19-25	Ø1250 - Ø1450

A- Frame length B- Frame width C- Max. Leaf Length X- Leaf thickness Y- Frame height

Table top dimensions

Table top materials

Compatible with Ceramic, Stone and Glass table
tops when applied over a screw compatible layer,
such as wood-based materials.




TL11.



Suitable for round and
square tables.

Orbiting

Fluid rotation,
precise motion.
Orbits with you.



P • 42 - 43 | Expanding Universes

Central System



Steel



Textured Black



120 kg | Max. Leaf weight 15kg



Between 900 to 1100mm |
Other sizes under request



Indoor



TL3, TL4, TL11 (Optional)



TK1 (Optional)


Expanding[®]
Surfaces



Expanding[®]
Surfaces




Orbiting
Central System

One Frame, Many Sizes.
Ultra-slim 50mm profile.
Engineered for Excellence.



Orbiting Central System

Central opening with eccentric rotation.
Front and rear foot fixed to the frame.
System allows for a reduction of the
foldable leaves footprint.



DETTALE W
DETTALE W




Table frame dimensions

TF1 (mm)	A	B	C	Y	Crossbars	X	W	L (L¹+L²)
IN00-00029381-00	1500	750	500-900	50	4B	19-25	900 to 1100	1600 to 1900
IN00-00029382-00	1750	750	500-900	50	4B	19-25	900 to 1100	1900 to 2200

A- Frame length

B- Frame width

C- Max. Leaf Length

X- Leaf thickness

Y- Frame height

Table top materials


Compatible with Ceramic, Stone and Glass table
tops when applied over a screw compatible layer,
such as wood-based materials.



TL3, TL4 & TL11.

Extending

Maximum extension,
minimum effort.
Extends you.



P • 48 - 49 | Expanding Universes

Central System



Aluminium



Black



120 kg | Max. Leaf weight 15kg



Between 900 to 1000mm |
Other sizes under request



Indoor



TL2, TL9, TL10 (Optional)




TK4 (Optional)

Expanding[®]
Surfaces



Extending
Central System

Largest extension potential.
Versatile solution with 3-in-1
table dimensions.
Adaptable for all types of legs.



Extending Central System

Opening with damper,
ensuring a smooth movement.
Cam system for synchronized
opening/closing of the book.





Table frame dimensions

TF1 (mm)	A	B	C (D + E) (up to)	Y	X	W	L (L ¹ +L ²)
IN00-00029383-00	1590	835	1X500«2X400	70	25	900 to 1000	1800 to 2000

A- Frame length B- Frame width C- Max. Leaf Length X- Leaf thickness Y- Frame height

Table top materials

Compatible with Ceramic, Stone and Glass table
tops when applied over a screw compatible layer,
such as wood-based materials.

TL TL2, TL9 & TL10.

Expanding[®] Surfaces


our side
systems.

Side System

Matching	54
Rolling	60
Ascending	70

Matching

Perfectly centered expansion, always in sync. Matches you.



P • 56 - 57 | Expanding Universes

Side System



Aluminium



Natural / Black



120 / 90 kg | Max. Leaf weight 15kg



Between 900 to 1000mm |
Other sizes under request



Indoor/ Outdoor



TL2, TL9, TL10 (Optional)



TK2 (Optional)

Expanding[®]
Surfaces



Matching
Side System

Traditional solution.
Disappearing Design.
Indoor-Outdoor Flexibility.
CATAS Tested.



Matching
Side System

Synchronised and single movement frontal opening. Combined with a break. Sturdy and stable functionality and a smooth movement through bearings.




Table frame dimensions

TF1 (mm)	A	B	C (up to)	Y	X	W	L
IN00-00029384-00 IN00-00029386-00	1660	835	1000	70 55	22-31 19-25	900 to 1000	1800 to 2000
IN00-00029388-00 IN00-00029390-00	1860	835	1000	70 55	22-31 19-25	900 to 1000	2000 to 2200
IN00-00029392-00 IN00-00029394-00	2060	835	1000	70 55	22-31 19-25	900 to 1000	2200 to 2400

A- Frame length B- Frame width C- Max. Leaf Length X- Leaf thickness Y- Frame height

Standard color in Black, for Natural swap the digits IN00 to IN01.




Table top dimensions

Table top materials


Compatible with Ceramic, Stone and Glass table tops when applied over a screw compatible layer, such as wood-based materials.

TL TL2, TL9 & TL10.

 Outdoor available under request.

Rolling

Expanding at your
command.
Rolls with you.



P • 62 - 63 | Expanding Universes

Side System



Aluminium



Natural / Black



120 / 90 kg | Max. Leaf weight 15 kg



Between 900 to 1000mm |
Other sizes under request



Indoor/ Outdoor



TL7, TL8 (Optional)



TK3 (Optional)

Expanding[®]
Surfaces



Rolling
Side System

One Frame, Many Sizes
Ultra-slim 50mm profile
Engineered for Excellence



Rolling^{TF1}
Side System

Simple and stable design for a smooth movement, through bearings.
Front foot fixed to the frame, rear foot to tabletop.
Possibility for 1 or 2 foldables leaves.




Table frame dimensions

TF1 (mm)	A	B	C (up to)	Y	X	W	L
IN00-00029396-00 IN00-00029398-00	1115	810	700	70 55	22-31 19-25	900 to 1000	1400 to 2000
IN00-00029400-00 IN00-00029402-00 IN00-00029404-00 IN00-00029406-00	1705	810	700 700 2x500 2x500	70 55 70 55	22-31 19-25 22-31 19-25	900 to 1000	1900 to 2400

A- Frame length B- Frame width C- Max. Leaf Length X- Leaf thickness Y- Frame height

Standard color in Black, for Natural swap the digits IN00 to IN01.




Table top dimensions

Table top materials

Compatible with Ceramic, Stone and Glass table tops when applied over a screw compatible layer, such as wood-based materials.

TL TL7 & TL8.

 Outdoor available under request.

Rolling^{TF2}
Side System

Simple and stable design for
a smooth movement, through
bearings.
Front and rear foot fixed to frame.





Table frame dimensions

TF2 (mm)	A	B	C (up to)	Y	X	W	L
IN00-00029408-00 IN00-00029410-00	1289	784	700	70 55	22-31 19-25	900 to 1000	1400
IN00-00029412-00 IN00-00029414-00	1480	784	700	70 55	22-31 19-25	900 to 1000	1600
IN00-00029416-00 IN00-00029418-00	1680	784	700	70 55	22-31 19-25	900 to 1000	1800
IN00-00029420-00 IN00-00029422-00	1880	784	700	70 55	22-31 19-25	900 to 1000	2000

A- Frame length B- Frame width C- Max. Leaf Length X- Leaf thickness Y- Frame height

Standard color in Black, for Natural swap the digits IN00 to IN01.

Table top materials

Compatible with Ceramic, Stone and Glass table
tops when applied over a screw compatible layer,
such as wood-based materials.

TL TL7 & TL8.

 Outdoor available
under request.

Rolling^{TF3}
Side System

Simple and stable design for a smooth movement, through bearings.
Front foot fixed to frame , rear foot fixed to tabletop.
Possibility for 1 or 2 foldable leaves.




Table frame dimensions

TF3 (mm)	A	B	C (up to)	Y	X	W	L
IN00-00029424-00 IN00-00029426-00	1120	850	2x500	70 55	22-31 19-25	900 to 1000	1250 to 2000

A- Frame length B- Frame width C- Max. Leaf Length X- Leaf thickness Y- Frame height
Standard color in Black, for Natural swap the digits IN00 to IN01.




Table top dimensions

Table top materials


Compatible with Ceramic, Stone and Glass table tops when applied over a screw compatible layer, such as wood-based materials.

TL TL7 & TL8.

 Outdoor available under request.

Ascending

Coming all the way
out independently.
Ascends with you.



P • 72 - 73 | Expanding Universes

Side System



Aluminium



Natural / Black



90 kg | Max. Leaf weight 10 kg



Between 850 to 1100mm |
Other sizes under request



Indoor/ Outdoor



TL6 (Optional)



TK5 (Optional)

Expanding[®]
Surfaces



Ascending
Side System

Open either side independently.
Single-piece table top: a standard
table when closed.
Available in various table tops
materials.



Ascending
Side System

Front opening system with double extension. Equiped with a break. Simple and stable design for a smooth movement through bearings.




Table frame dimensions

TF1 (mm)	A	B	C	Y	X	W	L
IN00-00029428-00	1615	550	2x500	55	19-25	850 to 1100	1800 to 2000
IN00-00029430-00	1815	550	2x500	55	19-25	850 to 1100	2000 to 2200
IN00-00029432-00	2015	550	2x500	55	19-25	850 to 1100	2200 to 2400

A- Frame length B- Frame width C- Max. Leaf Length X- Leaf thickness Y- Frame height

Standard color in Black, for Natural swap the digits IN00 to IN01.




Table top dimensions

Table top materials

Compatible with Ceramic, Stone and Glass table tops when applied over a screw compatible layer, such as wood-based materials.



Outdoor available under request.

An abstract graphic composed of numerous thin, parallel orange lines that form the silhouette of a modern chair. The lines are more densely packed in some areas, creating a sense of depth and texture. The chair is positioned on the left side of the page, with its backrest and seat visible.

Expanding[®] Productivity

our table
kits.

Table Kits

TK1

TK2

TK3

TK4

TK5



Table Kit	System	Hinge	Magnet	Handle	Leveller	Screw	Insert Nut	Dowel set
TK1	Ortbiting Fitting Rocketing	●	●	●	●	●	●	●
TK2	Matching	●	○	●	●	●	●	○
TK3	Rolling	●	○	●	●	●	●	○
TK4	Extending	●	●	●	●	●	●	●
TK5	Ascending	○	○	○	○	●	●	○
TK6	Flowing	○	●	○	○	●	●	●

- Included
- Not included



**Forever
Improving
Forever
Expanding®**

muvv.pt

MUVV®
EXPANDING
UNIVERSES

muvv.pt

Muvv with us



info@muvv.pt
+351 255 873 040

